

## DT.DANNY AIR SURFACE (add suffix see below)

---

### DANNY AIR SURFACE

---

#### PRODUCT DESCRIPTION

Round LED surface spotlight dimmable. Adjustable 90 deg tilt, 320 deg rotation.

WARM DIM OPTIONAL.

Supplied with honey-comb accessory

For more information, please refer to [DANNY AIR SURFACE Datasheet](#)

---



<b>Construction</b>	Aluminium body and bezel
<b>Colour (RAL finish)</b>	Any custom RAL, Black 10, White 11
<b>Light source</b>	10w (850lms), GU10
<b>Colour temp.</b>	2400K (special order), 2700K, 3000K, 4000K, CRI 90+, Warm Dim 1800-3000K
<b>Beam angle</b>	23 deg, 33 deg, 50 deg
<b>Controls</b>	Bluetooth (by request), Phase dimming driver (integral or remote), DALI
<b>Macadam</b>	2
<b>Optional accessories</b>	Etched glass, Honeycomb
<b>Dimensions (mm)</b>	147 × 60
<b>Cut out Dimension (mm)</b>	n/a

**Special Notes** PLEASE SELECT FIXING A, B, OR C See PDF data-sheet for full mounting options

## VARIATIONS

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
Any custom RAL	10w (850lms)	2400K (special order)	23 deg	Bluetooth (by request)	Etched glass	
Any custom RAL	10w (850lms)	2400K (special order)	23 deg	Bluetooth (by request)	Honeycomb	
Any custom RAL	10w (850lms)	2400K (special order)	23 deg	Phase dimming driver (integral or remote)	Etched glass	
Any custom RAL	10w (850lms)	2400K (special order)	23 deg	Phase dimming driver (integral or remote)	Honeycomb	
Any custom RAL	10w (850lms)	2400K (special order)	23 deg	DALI	Etched glass	
Any custom RAL	10w (850lms)	2400K (special order)	23 deg	DALI	Honeycomb	
Any custom RAL	10w (850lms)	2400K (special order)	33 deg	Bluetooth (by request)	Etched glass	
Any custom RAL	10w (850lms)	2400K (special order)	33 deg	Bluetooth (by request)	Honeycomb	
Any custom RAL	10w (850lms)	2400K (special order)	33 deg	Phase dimming driver (integral or remote)	Etched glass	
Any custom RAL	10w (850lms)	2400K (special order)	33 deg	Phase dimming driver (integral or remote)	Honeycomb	
Any custom RAL	10w (850lms)	2400K (special order)	33 deg	DALI	Etched glass	
Any custom RAL	10w (850lms)	2400K (special order)	33 deg	DALI	Honeycomb	

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
Any custom RAL	Any custom RAL	10w (850lms)	2400K (special order)	50 deg	Bluetooth (by request)	Etched glass
Any custom RAL	Any custom RAL	10w (850lms)	2400K (special order)	50 deg	Bluetooth (by request)	Honeycomb
Any custom RAL	Any custom RAL	10w (850lms)	2400K (special order)	50 deg	Phase dimming driver (integral or remote)	Etched glass
Any custom RAL	Any custom RAL	10w (850lms)	2400K (special order)	50 deg	Phase dimming driver (integral or remote)	Honeycomb
Any custom RAL	Any custom RAL	10w (850lms)	2400K (special order)	50 deg	DALI	Etched glass
Any custom RAL	Any custom RAL	10w (850lms)	2400K (special order)	50 deg	DALI	Honeycomb
Any custom RAL	Any custom RAL	GU10	2400K (special order)	23 deg	Bluetooth (by request)	Etched glass
Any custom RAL	Any custom RAL	GU10	2400K (special order)	23 deg	Bluetooth (by request)	Honeycomb
Any custom RAL	Any custom RAL	GU10	2400K (special order)	23 deg	Phase dimming driver (integral or remote)	Etched glass
Any custom RAL	Any custom RAL	GU10	2400K (special order)	23 deg	Phase dimming driver (integral or remote)	Honeycomb
Any custom RAL	Any custom RAL	GU10	2400K (special order)	23 deg	DALI	Etched glass
Any custom RAL	Any custom RAL	GU10	2400K (special order)	23 deg	DALI	Honeycomb
Any custom RAL	Any custom RAL	GU10	2400K (special order)	33 deg	Bluetooth (by request)	Etched glass
Any custom RAL	Any custom RAL	GU10	2400K (special order)	33 deg	Bluetooth (by request)	Honeycomb
Any custom RAL	Any custom RAL	GU10	2400K (special order)	33 deg	Phase dimming driver (integral or remote)	Etched glass
Any custom RAL	Any custom RAL	GU10	2400K (special order)	33 deg	Phase dimming driver (integral or remote)	Honeycomb

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
Any custom RAL	Any custom RAL	GU10	2400K (special order)	33 deg	DALI	Etched glass
Any custom RAL	Any custom RAL	GU10	2400K (special order)	33 deg	DALI	Honeycomb
Any custom RAL	Any custom RAL	GU10	2400K (special order)	50 deg	Bluetooth (by request)	Etched glass
Any custom RAL	Any custom RAL	GU10	2400K (special order)	50 deg	Bluetooth (by request)	Honeycomb
Any custom RAL	Any custom RAL	GU10	2400K (special order)	50 deg	Phase dimming driver (integral or remote)	Etched glass
Any custom RAL	Any custom RAL	GU10	2400K (special order)	50 deg	Phase dimming driver (integral or remote)	Honeycomb
Any custom RAL	Any custom RAL	GU10	2400K (special order)	50 deg	DALI	Etched glass
Any custom RAL	Any custom RAL	GU10	2400K (special order)	50 deg	DALI	Honeycomb
Black 10	Black 10	10w (850lms)	2400K (special order)	23 deg	Bluetooth (by request)	Etched glass
Black 10	Black 10	10w (850lms)	2400K (special order)	23 deg	Bluetooth (by request)	Honeycomb
Black 10	Black 10	10w (850lms)	2400K (special order)	23 deg	Phase dimming driver (integral or remote)	Etched glass
Black 10	Black 10	10w (850lms)	2400K (special order)	23 deg	Phase dimming driver (integral or remote)	Honeycomb
Black 10	Black 10	10w (850lms)	2400K (special order)	23 deg	DALI	Etched glass
Black 10	Black 10	10w (850lms)	2400K (special order)	23 deg	DALI	Honeycomb
Black 10	Black 10	10w (850lms)	2400K (special order)	33 deg	Bluetooth (by request)	Etched glass
Black 10	Black 10	10w (850lms)	2400K (special order)	33 deg	Bluetooth (by request)	Honeycomb

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
	Black 10	10w (850lms)	2400K (special order)	33 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	10w (850lms)	2400K (special order)	33 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	10w (850lms)	2400K (special order)	33 deg	DALI	Etched glass
	Black 10	10w (850lms)	2400K (special order)	33 deg	DALI	Honeycomb
	Black 10	10w (850lms)	2400K (special order)	50 deg	Bluetooth (by request)	Etched glass
	Black 10	10w (850lms)	2400K (special order)	50 deg	Bluetooth (by request)	Honeycomb
	Black 10	10w (850lms)	2400K (special order)	50 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	10w (850lms)	2400K (special order)	50 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	10w (850lms)	2400K (special order)	50 deg	DALI	Etched glass
	Black 10	10w (850lms)	2400K (special order)	50 deg	DALI	Honeycomb
	Black 10	GU10	2400K (special order)	23 deg	Bluetooth (by request)	Etched glass
	Black 10	GU10	2400K (special order)	23 deg	Bluetooth (by request)	Honeycomb
	Black 10	GU10	2400K (special order)	23 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	GU10	2400K (special order)	23 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	GU10	2400K (special order)	23 deg	DALI	Etched glass
	Black 10	GU10	2400K (special order)	23 deg	DALI	Honeycomb

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
	Black 10	GU10	2400K (special order)	33 deg	Bluetooth (by request)	Etched glass
	Black 10	GU10	2400K (special order)	33 deg	Bluetooth (by request)	Honeycomb
	Black 10	GU10	2400K (special order)	33 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	GU10	2400K (special order)	33 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	GU10	2400K (special order)	33 deg	DALI	Etched glass
	Black 10	GU10	2400K (special order)	33 deg	DALI	Honeycomb
	Black 10	GU10	2400K (special order)	50 deg	Bluetooth (by request)	Etched glass
	Black 10	GU10	2400K (special order)	50 deg	Bluetooth (by request)	Honeycomb
	Black 10	GU10	2400K (special order)	50 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	GU10	2400K (special order)	50 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	GU10	2400K (special order)	50 deg	DALI	Etched glass
	Black 10	GU10	2400K (special order)	50 deg	DALI	Honeycomb
	White 11	10w (850lms)	2400K (special order)	23 deg	Bluetooth (by request)	Etched glass
	White 11	10w (850lms)	2400K (special order)	23 deg	Bluetooth (by request)	Honeycomb
	White 11	10w (850lms)	2400K (special order)	23 deg	Phase dimming driver (integral or remote)	Etched glass
	White 11	10w (850lms)	2400K (special order)	23 deg	Phase dimming driver (integral or remote)	Honeycomb

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
White 11	White 11	10w (850lms)	2400K (special order)	23 deg	DALI	Etched glass
White 11	White 11	10w (850lms)	2400K (special order)	23 deg	DALI	Honeycomb
White 11	White 11	10w (850lms)	2400K (special order)	33 deg	Bluetooth (by request)	Etched glass
White 11	White 11	10w (850lms)	2400K (special order)	33 deg	Bluetooth (by request)	Honeycomb
White 11	White 11	10w (850lms)	2400K (special order)	33 deg	Phase dimming driver (integral or remote)	Etched glass
White 11	White 11	10w (850lms)	2400K (special order)	33 deg	Phase dimming driver (integral or remote)	Honeycomb
White 11	White 11	10w (850lms)	2400K (special order)	33 deg	DALI	Etched glass
White 11	White 11	10w (850lms)	2400K (special order)	33 deg	DALI	Honeycomb
White 11	White 11	10w (850lms)	2400K (special order)	50 deg	Bluetooth (by request)	Etched glass
White 11	White 11	10w (850lms)	2400K (special order)	50 deg	Bluetooth (by request)	Honeycomb
White 11	White 11	10w (850lms)	2400K (special order)	50 deg	Phase dimming driver (integral or remote)	Etched glass
White 11	White 11	10w (850lms)	2400K (special order)	50 deg	Phase dimming driver (integral or remote)	Honeycomb
White 11	White 11	10w (850lms)	2400K (special order)	50 deg	DALI	Etched glass
White 11	White 11	10w (850lms)	2400K (special order)	50 deg	DALI	Honeycomb
White 11	White 11	GU10	2400K (special order)	23 deg	Bluetooth (by request)	Etched glass
White 11	White 11	GU10	2400K (special order)	23 deg	Bluetooth (by request)	Honeycomb

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
	White 11	GU10	2400K (special order)	23 deg	Phase dimming driver (integral or remote)	Etched glass
	White 11	GU10	2400K (special order)	23 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	GU10	2400K (special order)	23 deg	DALI	Etched glass
	White 11	GU10	2400K (special order)	23 deg	DALI	Honeycomb
	White 11	GU10	2400K (special order)	33 deg	Bluetooth (by request)	Etched glass
	White 11	GU10	2400K (special order)	33 deg	Bluetooth (by request)	Honeycomb
	White 11	GU10	2400K (special order)	33 deg	Phase dimming driver (integral or remote)	Etched glass
	White 11	GU10	2400K (special order)	33 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	GU10	2400K (special order)	33 deg	DALI	Etched glass
	White 11	GU10	2400K (special order)	33 deg	DALI	Honeycomb
	White 11	GU10	2400K (special order)	50 deg	Bluetooth (by request)	Etched glass
	White 11	GU10	2400K (special order)	50 deg	Bluetooth (by request)	Honeycomb
	White 11	GU10	2400K (special order)	50 deg	Phase dimming driver (integral or remote)	Etched glass
	White 11	GU10	2400K (special order)	50 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	GU10	2400K (special order)	50 deg	DALI	Etched glass
	White 11	GU10	2400K (special order)	50 deg	DALI	Honeycomb



Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
	White 11	GU10	4000K	50 deg	Phase dimming driver (integral or remote)	Etched glass
	White 11	GU10	4000K	50 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	GU10	4000K	50 deg	DALI	Etched glass
	White 11	GU10	4000K	50 deg	DALI	Honeycomb
	White 11	GU10	CRI 90+	23 deg	Bluetooth (by request)	Etched glass
	White 11	GU10	CRI 90+	23 deg	Bluetooth (by request)	Honeycomb
	White 11	GU10	CRI 90+	23 deg	Phase dimming driver (integral or remote)	Etched glass
	White 11	GU10	CRI 90+	23 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	GU10	CRI 90+	23 deg	DALI	Etched glass
	White 11	GU10	CRI 90+	23 deg	DALI	Honeycomb
	White 11	GU10	CRI 90+	33 deg	Bluetooth (by request)	Etched glass
	White 11	GU10	CRI 90+	33 deg	Bluetooth (by request)	Honeycomb
	White 11	GU10	CRI 90+	33 deg	Phase dimming driver (integral or remote)	Etched glass
	White 11	GU10	CRI 90+	33 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	GU10	CRI 90+	33 deg	DALI	Etched glass
	White 11	GU10	CRI 90+	33 deg	DALI	Honeycomb
	White 11	GU10	CRI 90+	50 deg	Bluetooth (by request)	Etched glass
	White 11	GU10	CRI 90+	50 deg	Bluetooth (by request)	Honeycomb

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
	White 11	GU10	CRI 90+	50 deg	Phase dimming driver (integral or remote)	Etched glass
	White 11	GU10	CRI 90+	50 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	GU10	CRI 90+	50 deg	DALI	Etched glass
	White 11	GU10	CRI 90+	50 deg	DALI	Honeycomb
	White 11	GU10	Warm Dim 1800-3000K	23 deg	Bluetooth (by request)	Etched glass
	White 11	GU10	Warm Dim 1800-3000K	23 deg	Bluetooth (by request)	Honeycomb
	White 11	GU10	Warm Dim 1800-3000K	23 deg	Phase dimming driver (integral or remote)	Etched glass
	White 11	GU10	Warm Dim 1800-3000K	23 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	GU10	Warm Dim 1800-3000K	23 deg	DALI	Etched glass
	White 11	GU10	Warm Dim 1800-3000K	23 deg	DALI	Honeycomb
	White 11	GU10	Warm Dim 1800-3000K	33 deg	Bluetooth (by request)	Etched glass
	White 11	GU10	Warm Dim 1800-3000K	33 deg	Bluetooth (by request)	Honeycomb
	White 11	GU10	Warm Dim 1800-3000K	33 deg	Phase dimming driver (integral or remote)	Etched glass
	White 11	GU10	Warm Dim 1800-3000K	33 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	GU10	Warm Dim 1800-3000K	33 deg	DALI	Etched glass
	White 11	GU10	Warm Dim 1800-3000K	33 deg	DALI	Honeycomb

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
	White 11	GU10	Warm Dim 1800-3000K	50 deg	Bluetooth (by request)	Etched glass
	White 11	GU10	Warm Dim 1800-3000K	50 deg	Bluetooth (by request)	Honeycomb
	White 11	GU10	Warm Dim 1800-3000K	50 deg	Phase dimming driver (integral or remote)	Etched glass
	White 11	GU10	Warm Dim 1800-3000K	50 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	GU10	Warm Dim 1800-3000K	50 deg	DALI	Etched glass
	White 11	GU10	Warm Dim 1800-3000K	50 deg	DALI	Honeycomb
	Black 10	10w (850lms)	CRI 90+	50 deg	DALI	Etched glass
	Black 10	10w (850lms)	CRI 90+	50 deg	DALI	Honeycomb
	Black 10	10w (850lms)	Warm Dim 1800-3000K	23 deg	Bluetooth (by request)	Etched glass
	Black 10	10w (850lms)	Warm Dim 1800-3000K	23 deg	Bluetooth (by request)	Honeycomb
	Black 10	10w (850lms)	Warm Dim 1800-3000K	23 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	10w (850lms)	Warm Dim 1800-3000K	23 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	10w (850lms)	Warm Dim 1800-3000K	23 deg	DALI	Etched glass
	Black 10	10w (850lms)	Warm Dim 1800-3000K	23 deg	DALI	Honeycomb
	Black 10	10w (850lms)	Warm Dim 1800-3000K	33 deg	Bluetooth (by request)	Etched glass
	Black 10	10w (850lms)	Warm Dim 1800-3000K	33 deg	Bluetooth (by request)	Honeycomb

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
	Black 10	10w (850lms)	Warm Dim 1800-3000K	33 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	10w (850lms)	Warm Dim 1800-3000K	33 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	10w (850lms)	Warm Dim 1800-3000K	33 deg	DALI	Etched glass
	Black 10	10w (850lms)	Warm Dim 1800-3000K	33 deg	DALI	Honeycomb
	Black 10	10w (850lms)	Warm Dim 1800-3000K	50 deg	Bluetooth (by request)	Etched glass
	Black 10	10w (850lms)	Warm Dim 1800-3000K	50 deg	Bluetooth (by request)	Honeycomb
	Black 10	10w (850lms)	Warm Dim 1800-3000K	50 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	10w (850lms)	Warm Dim 1800-3000K	50 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	10w (850lms)	Warm Dim 1800-3000K	50 deg	DALI	Etched glass
	Black 10	10w (850lms)	Warm Dim 1800-3000K	50 deg	DALI	Honeycomb
	Black 10	GU10	2700K	23 deg	Bluetooth (by request)	Etched glass
	Black 10	GU10	2700K	23 deg	Bluetooth (by request)	Honeycomb
	Black 10	GU10	2700K	23 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	GU10	2700K	23 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	GU10	2700K	23 deg	DALI	Etched glass
	Black 10	GU10	2700K	23 deg	DALI	Honeycomb

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
	Black 10	GU10	2700K	33 deg	Bluetooth (by request)	Etched glass
	Black 10	GU10	2700K	33 deg	Bluetooth (by request)	Honeycomb
	Black 10	GU10	2700K	33 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	GU10	2700K	33 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	GU10	2700K	33 deg	DALI	Etched glass
	Black 10	GU10	2700K	33 deg	DALI	Honeycomb
	Black 10	GU10	2700K	50 deg	Bluetooth (by request)	Etched glass
	Black 10	GU10	2700K	50 deg	Bluetooth (by request)	Honeycomb
	Black 10	GU10	2700K	50 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	GU10	2700K	50 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	GU10	2700K	50 deg	DALI	Etched glass
	Black 10	GU10	2700K	50 deg	DALI	Honeycomb
	Black 10	GU10	3000K	23 deg	Bluetooth (by request)	Etched glass
	Black 10	GU10	3000K	23 deg	Bluetooth (by request)	Honeycomb
	Black 10	GU10	3000K	23 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	GU10	3000K	23 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	GU10	3000K	23 deg	DALI	Etched glass
	Black 10	GU10	3000K	23 deg	DALI	Honeycomb

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
	Black 10	GU10	3000K	33 deg	Bluetooth (by request)	Etched glass
	Black 10	GU10	3000K	33 deg	Bluetooth (by request)	Honeycomb
	Black 10	GU10	3000K	33 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	GU10	3000K	33 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	GU10	3000K	33 deg	DALI	Etched glass
	Black 10	GU10	3000K	33 deg	DALI	Honeycomb
	Black 10	GU10	3000K	50 deg	Bluetooth (by request)	Etched glass
	Black 10	GU10	3000K	50 deg	Bluetooth (by request)	Honeycomb
	Black 10	GU10	3000K	50 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	GU10	3000K	50 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	GU10	3000K	50 deg	DALI	Etched glass
	Black 10	GU10	3000K	50 deg	DALI	Honeycomb
	Black 10	GU10	4000K	23 deg	Bluetooth (by request)	Etched glass
	Black 10	GU10	4000K	23 deg	Bluetooth (by request)	Honeycomb
	Black 10	GU10	4000K	23 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	GU10	4000K	23 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	GU10	4000K	23 deg	DALI	Etched glass
	Black 10	GU10	4000K	23 deg	DALI	Honeycomb

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
	Black 10	GU10	4000K	33 deg	Bluetooth (by request)	Etched glass
	Black 10	GU10	4000K	33 deg	Bluetooth (by request)	Honeycomb
	Black 10	GU10	4000K	33 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	GU10	4000K	33 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	GU10	4000K	33 deg	DALI	Etched glass
	Black 10	GU10	4000K	33 deg	DALI	Honeycomb
	Black 10	GU10	4000K	50 deg	Bluetooth (by request)	Etched glass
	Black 10	GU10	4000K	50 deg	Bluetooth (by request)	Honeycomb
	Black 10	GU10	4000K	50 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	GU10	4000K	50 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	GU10	4000K	50 deg	DALI	Etched glass
	Black 10	GU10	4000K	50 deg	DALI	Honeycomb
	Black 10	GU10	CRI 90+	23 deg	Bluetooth (by request)	Etched glass
	Black 10	GU10	CRI 90+	23 deg	Bluetooth (by request)	Honeycomb
	Black 10	GU10	CRI 90+	23 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	GU10	CRI 90+	23 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	GU10	CRI 90+	23 deg	DALI	Etched glass
	Black 10	GU10	CRI 90+	23 deg	DALI	Honeycomb

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
	Black 10	GU10	CRI 90+	33 deg	Bluetooth (by request)	Etched glass
	Black 10	GU10	CRI 90+	33 deg	Bluetooth (by request)	Honeycomb
	Black 10	GU10	CRI 90+	33 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	GU10	CRI 90+	33 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	GU10	CRI 90+	33 deg	DALI	Etched glass
	Black 10	GU10	CRI 90+	33 deg	DALI	Honeycomb
	Black 10	GU10	CRI 90+	50 deg	Bluetooth (by request)	Etched glass
	Black 10	GU10	CRI 90+	50 deg	Bluetooth (by request)	Honeycomb
	Black 10	GU10	CRI 90+	50 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	GU10	CRI 90+	50 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	GU10	CRI 90+	50 deg	DALI	Etched glass
	Black 10	GU10	CRI 90+	50 deg	DALI	Honeycomb
	Black 10	GU10	Warm Dim 1800-3000K	23 deg	Bluetooth (by request)	Etched glass
	Black 10	GU10	Warm Dim 1800-3000K	23 deg	Bluetooth (by request)	Honeycomb
	Black 10	GU10	Warm Dim 1800-3000K	23 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	GU10	Warm Dim 1800-3000K	23 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	GU10	Warm Dim 1800-3000K	23 deg	DALI	Etched glass



Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
	Black 10	GU10	Warm Dim 1800-3000K	23 deg	DALI	Honeycomb
	Black 10	GU10	Warm Dim 1800-3000K	33 deg	Bluetooth (by request)	Etched glass
	Black 10	GU10	Warm Dim 1800-3000K	33 deg	Bluetooth (by request)	Honeycomb
	Black 10	GU10	Warm Dim 1800-3000K	33 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	GU10	Warm Dim 1800-3000K	33 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	GU10	Warm Dim 1800-3000K	33 deg	DALI	Etched glass
	Black 10	GU10	Warm Dim 1800-3000K	33 deg	DALI	Honeycomb
	Black 10	GU10	Warm Dim 1800-3000K	50 deg	Bluetooth (by request)	Etched glass
	Black 10	GU10	Warm Dim 1800-3000K	50 deg	Bluetooth (by request)	Honeycomb
	Black 10	GU10	Warm Dim 1800-3000K	50 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	GU10	Warm Dim 1800-3000K	50 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	GU10	Warm Dim 1800-3000K	50 deg	DALI	Etched glass
	Black 10	GU10	Warm Dim 1800-3000K	50 deg	DALI	Honeycomb
	White 11	10w (850lms)	2700K	23 deg	Bluetooth (by request)	Etched glass
	White 11	10w (850lms)	2700K	23 deg	Bluetooth (by request)	Honeycomb
	White 11	10w (850lms)	2700K	23 deg	Phase dimming driver (integral or remote)	Etched glass

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
	White 11	10w (850lms)	2700K	23 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	10w (850lms)	2700K	23 deg	DALI	Etched glass
	White 11	10w (850lms)	2700K	23 deg	DALI	Honeycomb
	White 11	10w (850lms)	2700K	33 deg	Bluetooth (by request)	Etched glass
	White 11	10w (850lms)	2700K	33 deg	Bluetooth (by request)	Honeycomb
	White 11	10w (850lms)	2700K	33 deg	Phase dimming driver (integral or remote)	Etched glass
	White 11	10w (850lms)	2700K	33 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	10w (850lms)	2700K	33 deg	DALI	Etched glass
	White 11	10w (850lms)	2700K	33 deg	DALI	Honeycomb
	White 11	10w (850lms)	2700K	50 deg	Bluetooth (by request)	Etched glass
	White 11	10w (850lms)	2700K	50 deg	Bluetooth (by request)	Honeycomb
	White 11	10w (850lms)	2700K	50 deg	Phase dimming driver (integral or remote)	Etched glass
	White 11	10w (850lms)	2700K	50 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	10w (850lms)	2700K	50 deg	DALI	Etched glass
	White 11	10w (850lms)	2700K	50 deg	DALI	Honeycomb
	White 11	10w (850lms)	3000K	23 deg	Bluetooth (by request)	Etched glass

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
	White 11	10w (850lms)	3000K	23 deg	Bluetooth (by request)	Honeycomb
	White 11	10w (850lms)	3000K	23 deg	Phase dimming driver (integral or remote)	Etched glass
	White 11	10w (850lms)	3000K	23 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	10w (850lms)	3000K	23 deg	DALI	Etched glass
	White 11	10w (850lms)	3000K	23 deg	DALI	Honeycomb
	White 11	10w (850lms)	3000K	33 deg	Bluetooth (by request)	Etched glass
	White 11	10w (850lms)	3000K	33 deg	Bluetooth (by request)	Honeycomb
	White 11	10w (850lms)	3000K	33 deg	Phase dimming driver (integral or remote)	Etched glass
	White 11	10w (850lms)	3000K	33 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	10w (850lms)	3000K	33 deg	DALI	Etched glass
	White 11	10w (850lms)	3000K	33 deg	DALI	Honeycomb
	White 11	10w (850lms)	3000K	50 deg	Bluetooth (by request)	Etched glass
	White 11	10w (850lms)	3000K	50 deg	Bluetooth (by request)	Honeycomb
	White 11	10w (850lms)	3000K	50 deg	Phase dimming driver (integral or remote)	Etched glass
	White 11	10w (850lms)	3000K	50 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	10w (850lms)	3000K	50 deg	DALI	Etched glass

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
	White 11	10w (850lms)	3000K	50 deg	DALI	Honeycomb
	White 11	10w (850lms)	4000K	23 deg	Bluetooth (by request)	Etched glass
	White 11	10w (850lms)	4000K	23 deg	Bluetooth (by request)	Honeycomb
	White 11	10w (850lms)	4000K	23 deg	Phase dimming driver (integral or remote)	Etched glass
	White 11	10w (850lms)	4000K	23 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	10w (850lms)	4000K	23 deg	DALI	Etched glass
	White 11	10w (850lms)	4000K	23 deg	DALI	Honeycomb
	White 11	10w (850lms)	4000K	33 deg	Bluetooth (by request)	Etched glass
	White 11	10w (850lms)	4000K	33 deg	Bluetooth (by request)	Honeycomb
	White 11	10w (850lms)	4000K	33 deg	Phase dimming driver (integral or remote)	Etched glass
	White 11	10w (850lms)	4000K	33 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	10w (850lms)	4000K	33 deg	DALI	Etched glass
	White 11	10w (850lms)	4000K	33 deg	DALI	Honeycomb
	White 11	10w (850lms)	4000K	50 deg	Bluetooth (by request)	Etched glass
	White 11	10w (850lms)	4000K	50 deg	Bluetooth (by request)	Honeycomb
	White 11	10w (850lms)	4000K	50 deg	Phase dimming driver (integral or remote)	Etched glass

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
	White 11	10w (850lms)	4000K	50 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	10w (850lms)	4000K	50 deg	DALI	Etched glass
	White 11	10w (850lms)	4000K	50 deg	DALI	Honeycomb
	White 11	10w (850lms)	CRI 90+	23 deg	Bluetooth (by request)	Etched glass
	White 11	10w (850lms)	CRI 90+	23 deg	Bluetooth (by request)	Honeycomb
	White 11	10w (850lms)	CRI 90+	23 deg	Phase dimming driver (integral or remote)	Etched glass
	White 11	10w (850lms)	CRI 90+	23 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	10w (850lms)	CRI 90+	23 deg	DALI	Etched glass
	White 11	10w (850lms)	CRI 90+	23 deg	DALI	Honeycomb
	White 11	10w (850lms)	CRI 90+	33 deg	Bluetooth (by request)	Etched glass
	White 11	10w (850lms)	CRI 90+	33 deg	Bluetooth (by request)	Honeycomb
	White 11	10w (850lms)	CRI 90+	33 deg	Phase dimming driver (integral or remote)	Etched glass
	White 11	10w (850lms)	CRI 90+	33 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	10w (850lms)	CRI 90+	33 deg	DALI	Etched glass
	White 11	10w (850lms)	CRI 90+	33 deg	DALI	Honeycomb
	White 11	10w (850lms)	CRI 90+	50 deg	Bluetooth (by request)	Etched glass

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
	White 11	10w (850lms)	CRI 90+	50 deg	Bluetooth (by request)	Honeycomb
	White 11	10w (850lms)	CRI 90+	50 deg	Phase dimming driver (integral or remote)	Etched glass
	White 11	10w (850lms)	CRI 90+	50 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	10w (850lms)	CRI 90+	50 deg	DALI	Etched glass
	White 11	10w (850lms)	CRI 90+	50 deg	DALI	Honeycomb
	White 11	10w (850lms)	Warm Dim 1800-3000K	23 deg	Bluetooth (by request)	Etched glass
	White 11	10w (850lms)	Warm Dim 1800-3000K	23 deg	Bluetooth (by request)	Honeycomb
	White 11	10w (850lms)	Warm Dim 1800-3000K	23 deg	Phase dimming driver (integral or remote)	Etched glass
	White 11	10w (850lms)	Warm Dim 1800-3000K	23 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	10w (850lms)	Warm Dim 1800-3000K	23 deg	DALI	Etched glass
	White 11	10w (850lms)	Warm Dim 1800-3000K	23 deg	DALI	Honeycomb
	White 11	10w (850lms)	Warm Dim 1800-3000K	33 deg	Bluetooth (by request)	Etched glass
	White 11	10w (850lms)	Warm Dim 1800-3000K	33 deg	Bluetooth (by request)	Honeycomb
	White 11	10w (850lms)	Warm Dim 1800-3000K	33 deg	Phase dimming driver (integral or remote)	Etched glass
	White 11	10w (850lms)	Warm Dim 1800-3000K	33 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	10w (850lms)	Warm Dim 1800-3000K	33 deg	DALI	Etched glass

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
	White 11	10w (850lms)	Warm Dim 1800-3000K	33 deg	DALI	Honeycomb
	White 11	10w (850lms)	Warm Dim 1800-3000K	50 deg	Bluetooth (by request)	Etched glass
	White 11	10w (850lms)	Warm Dim 1800-3000K	50 deg	Bluetooth (by request)	Honeycomb
	White 11	10w (850lms)	Warm Dim 1800-3000K	50 deg	Phase dimming driver (integral or remote)	Etched glass
	White 11	10w (850lms)	Warm Dim 1800-3000K	50 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	10w (850lms)	Warm Dim 1800-3000K	50 deg	DALI	Etched glass
	White 11	10w (850lms)	Warm Dim 1800-3000K	50 deg	DALI	Honeycomb
	White 11	GU10	2700K	23 deg	Bluetooth (by request)	Etched glass
	White 11	GU10	2700K	23 deg	Bluetooth (by request)	Honeycomb
	White 11	GU10	2700K	23 deg	Phase dimming driver (integral or remote)	Etched glass
	White 11	GU10	2700K	23 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	GU10	2700K	23 deg	DALI	Etched glass
	White 11	GU10	2700K	23 deg	DALI	Honeycomb
	White 11	GU10	2700K	33 deg	Bluetooth (by request)	Etched glass
	White 11	GU10	2700K	33 deg	Bluetooth (by request)	Honeycomb
	White 11	GU10	2700K	33 deg	Phase dimming driver (integral or remote)	Etched glass

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
	White 11	GU10	2700K	33 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	GU10	2700K	33 deg	DALI	Etched glass
	White 11	GU10	2700K	33 deg	DALI	Honeycomb
	White 11	GU10	2700K	50 deg	Bluetooth (by request)	Etched glass
	White 11	GU10	2700K	50 deg	Bluetooth (by request)	Honeycomb
	White 11	GU10	2700K	50 deg	Phase dimming driver (integral or remote)	Etched glass
	White 11	GU10	2700K	50 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	GU10	2700K	50 deg	DALI	Etched glass
	White 11	GU10	2700K	50 deg	DALI	Honeycomb
	White 11	GU10	3000K	23 deg	Bluetooth (by request)	Etched glass
	White 11	GU10	3000K	23 deg	Bluetooth (by request)	Honeycomb
	White 11	GU10	3000K	23 deg	Phase dimming driver (integral or remote)	Etched glass
	White 11	GU10	3000K	23 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	GU10	3000K	23 deg	DALI	Etched glass
	White 11	GU10	3000K	23 deg	DALI	Honeycomb
	White 11	GU10	3000K	33 deg	Bluetooth (by request)	Etched glass
	White 11	GU10	3000K	33 deg	Bluetooth (by request)	Honeycomb
	White 11	GU10	3000K	33 deg	Phase dimming driver (integral or remote)	Etched glass



Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
	White 11	GU10	3000K	33 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	GU10	3000K	33 deg	DALI	Etched glass
	White 11	GU10	3000K	33 deg	DALI	Honeycomb
	White 11	GU10	3000K	50 deg	Bluetooth (by request)	Etched glass
	White 11	GU10	3000K	50 deg	Bluetooth (by request)	Honeycomb
	White 11	GU10	3000K	50 deg	Phase dimming driver (integral or remote)	Etched glass
	White 11	GU10	3000K	50 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	GU10	3000K	50 deg	DALI	Etched glass
	White 11	GU10	3000K	50 deg	DALI	Honeycomb
	White 11	GU10	4000K	23 deg	Bluetooth (by request)	Etched glass
	White 11	GU10	4000K	23 deg	Bluetooth (by request)	Honeycomb
	White 11	GU10	4000K	23 deg	Phase dimming driver (integral or remote)	Etched glass
	White 11	GU10	4000K	23 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	GU10	4000K	23 deg	DALI	Etched glass
	White 11	GU10	4000K	23 deg	DALI	Honeycomb
	White 11	GU10	4000K	33 deg	Bluetooth (by request)	Etched glass
	White 11	GU10	4000K	33 deg	Bluetooth (by request)	Honeycomb
	White 11	GU10	4000K	33 deg	Phase dimming driver (integral or remote)	Etched glass

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
	White 11	GU10	4000K	33 deg	Phase dimming driver (integral or remote)	Honeycomb
	White 11	GU10	4000K	33 deg	DALI	Etched glass
	White 11	GU10	4000K	33 deg	DALI	Honeycomb
	White 11	GU10	4000K	50 deg	Bluetooth (by request)	Etched glass
	White 11	GU10	4000K	50 deg	Bluetooth (by request)	Honeycomb
	Any custom RAL	10w (850lms)	2700K	23 deg	Bluetooth (by request)	Etched glass
	Any custom RAL	10w (850lms)	2700K	23 deg	Bluetooth (by request)	Honeycomb
	Any custom RAL	10w (850lms)	2700K	23 deg	Phase dimming driver (integral or remote)	Etched glass
	Any custom RAL	10w (850lms)	2700K	23 deg	Phase dimming driver (integral or remote)	Honeycomb
	Any custom RAL	10w (850lms)	2700K	23 deg	DALI	Etched glass
	Any custom RAL	10w (850lms)	2700K	23 deg	DALI	Honeycomb
	Any custom RAL	10w (850lms)	2700K	33 deg	Bluetooth (by request)	Etched glass
	Any custom RAL	10w (850lms)	2700K	33 deg	Bluetooth (by request)	Honeycomb
	Any custom RAL	10w (850lms)	2700K	33 deg	Phase dimming driver (integral or remote)	Etched glass
	Any custom RAL	10w (850lms)	2700K	33 deg	Phase dimming driver (integral or remote)	Honeycomb
	Any custom RAL	10w (850lms)	2700K	33 deg	DALI	Etched glass
	Any custom RAL	10w (850lms)	2700K	33 deg	DALI	Honeycomb

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
Any custom RAL	Any custom RAL	10w (850lms)	2700K	50 deg	Bluetooth (by request)	Etched glass
Any custom RAL	Any custom RAL	10w (850lms)	2700K	50 deg	Bluetooth (by request)	Honeycomb
Any custom RAL	Any custom RAL	10w (850lms)	2700K	50 deg	Phase dimming driver (integral or remote)	Etched glass
Any custom RAL	Any custom RAL	10w (850lms)	2700K	50 deg	Phase dimming driver (integral or remote)	Honeycomb
Any custom RAL	Any custom RAL	10w (850lms)	2700K	50 deg	DALI	Etched glass
Any custom RAL	Any custom RAL	10w (850lms)	2700K	50 deg	DALI	Honeycomb
Any custom RAL	Any custom RAL	10w (850lms)	3000K	23 deg	Bluetooth (by request)	Etched glass
Any custom RAL	Any custom RAL	10w (850lms)	3000K	23 deg	Bluetooth (by request)	Honeycomb
Any custom RAL	Any custom RAL	10w (850lms)	3000K	23 deg	Phase dimming driver (integral or remote)	Etched glass
Any custom RAL	Any custom RAL	10w (850lms)	3000K	23 deg	Phase dimming driver (integral or remote)	Honeycomb
Any custom RAL	Any custom RAL	10w (850lms)	3000K	23 deg	DALI	Etched glass
Any custom RAL	Any custom RAL	10w (850lms)	3000K	23 deg	DALI	Honeycomb
Any custom RAL	Any custom RAL	10w (850lms)	3000K	33 deg	Bluetooth (by request)	Etched glass
Any custom RAL	Any custom RAL	10w (850lms)	3000K	33 deg	Bluetooth (by request)	Honeycomb
Any custom RAL	Any custom RAL	10w (850lms)	3000K	33 deg	Phase dimming driver (integral or remote)	Etched glass
Any custom RAL	Any custom RAL	10w (850lms)	3000K	33 deg	Phase dimming driver (integral or remote)	Honeycomb

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
Any custom RAL	10w (850lms)	3000K	33 deg	DALI	Etched glass	
Any custom RAL	10w (850lms)	3000K	33 deg	DALI	Honeycomb	
Any custom RAL	10w (850lms)	3000K	50 deg	Bluetooth (by request)	Etched glass	
Any custom RAL	10w (850lms)	3000K	50 deg	Bluetooth (by request)	Honeycomb	
Any custom RAL	10w (850lms)	3000K	50 deg	Phase dimming driver (integral or remote)	Etched glass	
Any custom RAL	10w (850lms)	3000K	50 deg	Phase dimming driver (integral or remote)	Honeycomb	
Any custom RAL	10w (850lms)	3000K	50 deg	DALI	Etched glass	
Any custom RAL	10w (850lms)	3000K	50 deg	DALI	Honeycomb	
Any custom RAL	10w (850lms)	4000K	23 deg	Bluetooth (by request)	Etched glass	
Any custom RAL	10w (850lms)	4000K	23 deg	Bluetooth (by request)	Honeycomb	
Any custom RAL	10w (850lms)	4000K	23 deg	Phase dimming driver (integral or remote)	Etched glass	
Any custom RAL	10w (850lms)	4000K	23 deg	Phase dimming driver (integral or remote)	Honeycomb	
Any custom RAL	10w (850lms)	4000K	23 deg	DALI	Etched glass	
Any custom RAL	10w (850lms)	4000K	23 deg	DALI	Honeycomb	
Any custom RAL	10w (850lms)	4000K	33 deg	Bluetooth (by request)	Etched glass	
Any custom RAL	10w (850lms)	4000K	33 deg	Bluetooth (by request)	Honeycomb	

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
	Any custom RAL	10w (850lms)	4000K	33 deg	Phase dimming driver (integral or remote)	Etched glass
	Any custom RAL	10w (850lms)	4000K	33 deg	Phase dimming driver (integral or remote)	Honeycomb
	Any custom RAL	10w (850lms)	4000K	33 deg	DALI	Etched glass
	Any custom RAL	10w (850lms)	4000K	33 deg	DALI	Honeycomb
	Any custom RAL	10w (850lms)	4000K	50 deg	Bluetooth (by request)	Etched glass
	Any custom RAL	10w (850lms)	4000K	50 deg	Bluetooth (by request)	Honeycomb
	Any custom RAL	10w (850lms)	4000K	50 deg	Phase dimming driver (integral or remote)	Etched glass
	Any custom RAL	10w (850lms)	4000K	50 deg	Phase dimming driver (integral or remote)	Honeycomb
	Any custom RAL	10w (850lms)	4000K	50 deg	DALI	Etched glass
	Any custom RAL	10w (850lms)	4000K	50 deg	DALI	Honeycomb
	Any custom RAL	10w (850lms)	CRI 90+	23 deg	Bluetooth (by request)	Etched glass
	Any custom RAL	10w (850lms)	CRI 90+	23 deg	Bluetooth (by request)	Honeycomb
	Any custom RAL	10w (850lms)	CRI 90+	23 deg	Phase dimming driver (integral or remote)	Etched glass
	Any custom RAL	10w (850lms)	CRI 90+	23 deg	Phase dimming driver (integral or remote)	Honeycomb
	Any custom RAL	10w (850lms)	CRI 90+	23 deg	DALI	Etched glass
	Any custom RAL	10w (850lms)	CRI 90+	23 deg	DALI	Honeycomb

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
Any custom RAL	Any custom RAL	10w (850lms)	CRI 90+	33 deg	Bluetooth (by request)	Etched glass
Any custom RAL	Any custom RAL	10w (850lms)	CRI 90+	33 deg	Bluetooth (by request)	Honeycomb
Any custom RAL	Any custom RAL	10w (850lms)	CRI 90+	33 deg	Phase dimming driver (integral or remote)	Etched glass
Any custom RAL	Any custom RAL	10w (850lms)	CRI 90+	33 deg	Phase dimming driver (integral or remote)	Honeycomb
Any custom RAL	Any custom RAL	10w (850lms)	CRI 90+	33 deg	DALI	Etched glass
Any custom RAL	Any custom RAL	10w (850lms)	CRI 90+	33 deg	DALI	Honeycomb
Any custom RAL	Any custom RAL	10w (850lms)	CRI 90+	50 deg	Bluetooth (by request)	Etched glass
Any custom RAL	Any custom RAL	10w (850lms)	CRI 90+	50 deg	Bluetooth (by request)	Honeycomb
Any custom RAL	Any custom RAL	10w (850lms)	CRI 90+	50 deg	Phase dimming driver (integral or remote)	Etched glass
Any custom RAL	Any custom RAL	10w (850lms)	CRI 90+	50 deg	Phase dimming driver (integral or remote)	Honeycomb
Any custom RAL	Any custom RAL	10w (850lms)	CRI 90+	50 deg	DALI	Etched glass
Any custom RAL	Any custom RAL	10w (850lms)	CRI 90+	50 deg	DALI	Honeycomb
Any custom RAL	Any custom RAL	10w (850lms)	Warm Dim 1800-3000K	23 deg	Bluetooth (by request)	Etched glass
Any custom RAL	Any custom RAL	10w (850lms)	Warm Dim 1800-3000K	23 deg	Bluetooth (by request)	Honeycomb
Any custom RAL	Any custom RAL	10w (850lms)	Warm Dim 1800-3000K	23 deg	Phase dimming driver (integral or remote)	Etched glass
Any custom RAL	Any custom RAL	10w (850lms)	Warm Dim 1800-3000K	23 deg	Phase dimming driver (integral or remote)	Honeycomb

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
Any custom RAL	Any custom RAL	10w (850lms)	Warm Dim 1800-3000K	23 deg	DALI	Etched glass
Any custom RAL	Any custom RAL	10w (850lms)	Warm Dim 1800-3000K	23 deg	DALI	Honeycomb
Any custom RAL	Any custom RAL	10w (850lms)	Warm Dim 1800-3000K	33 deg	Bluetooth (by request)	Etched glass
Any custom RAL	Any custom RAL	10w (850lms)	Warm Dim 1800-3000K	33 deg	Bluetooth (by request)	Honeycomb
Any custom RAL	Any custom RAL	10w (850lms)	Warm Dim 1800-3000K	33 deg	Phase dimming driver (integral or remote)	Etched glass
Any custom RAL	Any custom RAL	10w (850lms)	Warm Dim 1800-3000K	33 deg	Phase dimming driver (integral or remote)	Honeycomb
Any custom RAL	Any custom RAL	10w (850lms)	Warm Dim 1800-3000K	33 deg	DALI	Etched glass
Any custom RAL	Any custom RAL	10w (850lms)	Warm Dim 1800-3000K	33 deg	DALI	Honeycomb
Any custom RAL	Any custom RAL	10w (850lms)	Warm Dim 1800-3000K	50 deg	Bluetooth (by request)	Etched glass
Any custom RAL	Any custom RAL	10w (850lms)	Warm Dim 1800-3000K	50 deg	Bluetooth (by request)	Honeycomb
Any custom RAL	Any custom RAL	10w (850lms)	Warm Dim 1800-3000K	50 deg	Phase dimming driver (integral or remote)	Etched glass
Any custom RAL	Any custom RAL	10w (850lms)	Warm Dim 1800-3000K	50 deg	Phase dimming driver (integral or remote)	Honeycomb
Any custom RAL	Any custom RAL	10w (850lms)	Warm Dim 1800-3000K	50 deg	DALI	Etched glass
Any custom RAL	Any custom RAL	10w (850lms)	Warm Dim 1800-3000K	50 deg	DALI	Honeycomb
Any custom RAL	Any custom RAL	GU10	2700K	23 deg	Bluetooth (by request)	Etched glass
Any custom RAL	Any custom RAL	GU10	2700K	23 deg	Bluetooth (by request)	Honeycomb

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
Any custom RAL	Any custom RAL	GU10	2700K	23 deg	Phase dimming driver (integral or remote)	Etched glass
Any custom RAL	Any custom RAL	GU10	2700K	23 deg	Phase dimming driver (integral or remote)	Honeycomb
Any custom RAL	Any custom RAL	GU10	2700K	23 deg	DALI	Etched glass
Any custom RAL	Any custom RAL	GU10	2700K	23 deg	DALI	Honeycomb
Any custom RAL	Any custom RAL	GU10	2700K	33 deg	Bluetooth (by request)	Etched glass
Any custom RAL	Any custom RAL	GU10	2700K	33 deg	Bluetooth (by request)	Honeycomb
Any custom RAL	Any custom RAL	GU10	2700K	33 deg	Phase dimming driver (integral or remote)	Etched glass
Any custom RAL	Any custom RAL	GU10	2700K	33 deg	Phase dimming driver (integral or remote)	Honeycomb
Any custom RAL	Any custom RAL	GU10	2700K	33 deg	DALI	Etched glass
Any custom RAL	Any custom RAL	GU10	2700K	33 deg	DALI	Honeycomb
Any custom RAL	Any custom RAL	GU10	2700K	50 deg	Bluetooth (by request)	Etched glass
Any custom RAL	Any custom RAL	GU10	2700K	50 deg	Bluetooth (by request)	Honeycomb
Any custom RAL	Any custom RAL	GU10	2700K	50 deg	Phase dimming driver (integral or remote)	Etched glass
Any custom RAL	Any custom RAL	GU10	2700K	50 deg	Phase dimming driver (integral or remote)	Honeycomb
Any custom RAL	Any custom RAL	GU10	2700K	50 deg	DALI	Etched glass
Any custom RAL	Any custom RAL	GU10	2700K	50 deg	DALI	Honeycomb



Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
Any custom RAL	Any custom RAL	GU10	3000K	23 deg	Bluetooth (by request)	Etched glass
Any custom RAL	Any custom RAL	GU10	3000K	23 deg	Bluetooth (by request)	Honeycomb
Any custom RAL	Any custom RAL	GU10	3000K	23 deg	Phase dimming driver (integral or remote)	Etched glass
Any custom RAL	Any custom RAL	GU10	3000K	23 deg	Phase dimming driver (integral or remote)	Honeycomb
Any custom RAL	Any custom RAL	GU10	3000K	23 deg	DALI	Etched glass
Any custom RAL	Any custom RAL	GU10	3000K	23 deg	DALI	Honeycomb
Any custom RAL	Any custom RAL	GU10	3000K	33 deg	Bluetooth (by request)	Etched glass
Any custom RAL	Any custom RAL	GU10	3000K	33 deg	Bluetooth (by request)	Honeycomb
Any custom RAL	Any custom RAL	GU10	3000K	33 deg	Phase dimming driver (integral or remote)	Etched glass
Any custom RAL	Any custom RAL	GU10	3000K	33 deg	Phase dimming driver (integral or remote)	Honeycomb
Any custom RAL	Any custom RAL	GU10	3000K	33 deg	DALI	Etched glass
Any custom RAL	Any custom RAL	GU10	3000K	33 deg	DALI	Honeycomb
Any custom RAL	Any custom RAL	GU10	3000K	50 deg	Bluetooth (by request)	Etched glass
Any custom RAL	Any custom RAL	GU10	3000K	50 deg	Bluetooth (by request)	Honeycomb
Any custom RAL	Any custom RAL	GU10	3000K	50 deg	Phase dimming driver (integral or remote)	Etched glass
Any custom RAL	Any custom RAL	GU10	3000K	50 deg	Phase dimming driver (integral or remote)	Honeycomb

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
Any custom RAL	GU10	3000K	50 deg	DALI	Etched glass	
Any custom RAL	GU10	3000K	50 deg	DALI	Honeycomb	
Any custom RAL	GU10	4000K	23 deg	Bluetooth (by request)	Etched glass	
Any custom RAL	GU10	4000K	23 deg	Bluetooth (by request)	Honeycomb	
Any custom RAL	GU10	4000K	23 deg	Phase dimming driver (integral or remote)	Etched glass	
Any custom RAL	GU10	4000K	23 deg	Phase dimming driver (integral or remote)	Honeycomb	
Any custom RAL	GU10	4000K	23 deg	DALI	Etched glass	
Any custom RAL	GU10	4000K	23 deg	DALI	Honeycomb	
Any custom RAL	GU10	4000K	33 deg	Bluetooth (by request)	Etched glass	
Any custom RAL	GU10	4000K	33 deg	Bluetooth (by request)	Honeycomb	
Any custom RAL	GU10	4000K	33 deg	Phase dimming driver (integral or remote)	Etched glass	
Any custom RAL	GU10	4000K	33 deg	Phase dimming driver (integral or remote)	Honeycomb	
Any custom RAL	GU10	4000K	33 deg	DALI	Etched glass	
Any custom RAL	GU10	4000K	33 deg	DALI	Honeycomb	
Any custom RAL	GU10	4000K	50 deg	Bluetooth (by request)	Etched glass	
Any custom RAL	GU10	4000K	50 deg	Bluetooth (by request)	Honeycomb	

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
Any custom RAL	Any custom RAL	GU10	4000K	50 deg	Phase dimming driver (integral or remote)	Etched glass
Any custom RAL	Any custom RAL	GU10	4000K	50 deg	Phase dimming driver (integral or remote)	Honeycomb
Any custom RAL	Any custom RAL	GU10	4000K	50 deg	DALI	Etched glass
Any custom RAL	Any custom RAL	GU10	4000K	50 deg	DALI	Honeycomb
Any custom RAL	Any custom RAL	GU10	CRI 90+	23 deg	Bluetooth (by request)	Etched glass
Any custom RAL	Any custom RAL	GU10	CRI 90+	23 deg	Bluetooth (by request)	Honeycomb
Any custom RAL	Any custom RAL	GU10	CRI 90+	23 deg	Phase dimming driver (integral or remote)	Etched glass
Any custom RAL	Any custom RAL	GU10	CRI 90+	23 deg	Phase dimming driver (integral or remote)	Honeycomb
Any custom RAL	Any custom RAL	GU10	CRI 90+	23 deg	DALI	Etched glass
Any custom RAL	Any custom RAL	GU10	CRI 90+	23 deg	DALI	Honeycomb
Any custom RAL	Any custom RAL	GU10	CRI 90+	33 deg	Bluetooth (by request)	Etched glass
Any custom RAL	Any custom RAL	GU10	CRI 90+	33 deg	Bluetooth (by request)	Honeycomb
Any custom RAL	Any custom RAL	GU10	CRI 90+	33 deg	Phase dimming driver (integral or remote)	Etched glass
Any custom RAL	Any custom RAL	GU10	CRI 90+	33 deg	Phase dimming driver (integral or remote)	Honeycomb
Any custom RAL	Any custom RAL	GU10	CRI 90+	33 deg	DALI	Etched glass
Any custom RAL	Any custom RAL	GU10	CRI 90+	33 deg	DALI	Honeycomb

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
Any custom RAL	Any custom RAL	GU10	CRI 90+	50 deg	Bluetooth (by request)	Etched glass
Any custom RAL	Any custom RAL	GU10	CRI 90+	50 deg	Bluetooth (by request)	Honeycomb
Any custom RAL	Any custom RAL	GU10	CRI 90+	50 deg	Phase dimming driver (integral or remote)	Etched glass
Any custom RAL	Any custom RAL	GU10	CRI 90+	50 deg	Phase dimming driver (integral or remote)	Honeycomb
Any custom RAL	Any custom RAL	GU10	CRI 90+	50 deg	DALI	Etched glass
Any custom RAL	Any custom RAL	GU10	CRI 90+	50 deg	DALI	Honeycomb
Any custom RAL	Any custom RAL	GU10	Warm Dim 1800-3000K	23 deg	Bluetooth (by request)	Etched glass
Any custom RAL	Any custom RAL	GU10	Warm Dim 1800-3000K	23 deg	Bluetooth (by request)	Honeycomb
Any custom RAL	Any custom RAL	GU10	Warm Dim 1800-3000K	23 deg	Phase dimming driver (integral or remote)	Etched glass
Any custom RAL	Any custom RAL	GU10	Warm Dim 1800-3000K	23 deg	Phase dimming driver (integral or remote)	Honeycomb
Any custom RAL	Any custom RAL	GU10	Warm Dim 1800-3000K	23 deg	DALI	Etched glass
Any custom RAL	Any custom RAL	GU10	Warm Dim 1800-3000K	23 deg	DALI	Honeycomb
Any custom RAL	Any custom RAL	GU10	Warm Dim 1800-3000K	33 deg	Bluetooth (by request)	Etched glass
Any custom RAL	Any custom RAL	GU10	Warm Dim 1800-3000K	33 deg	Bluetooth (by request)	Honeycomb
Any custom RAL	Any custom RAL	GU10	Warm Dim 1800-3000K	33 deg	Phase dimming driver (integral or remote)	Etched glass
Any custom RAL	Any custom RAL	GU10	Warm Dim 1800-3000K	33 deg	Phase dimming driver (integral or remote)	Honeycomb

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
Any custom RAL	Any custom RAL	GU10	Warm Dim 1800-3000K	33 deg	DALI	Etched glass
Any custom RAL	Any custom RAL	GU10	Warm Dim 1800-3000K	33 deg	DALI	Honeycomb
Any custom RAL	Any custom RAL	GU10	Warm Dim 1800-3000K	50 deg	Bluetooth (by request)	Etched glass
Any custom RAL	Any custom RAL	GU10	Warm Dim 1800-3000K	50 deg	Bluetooth (by request)	Honeycomb
Any custom RAL	Any custom RAL	GU10	Warm Dim 1800-3000K	50 deg	Phase dimming driver (integral or remote)	Etched glass
Any custom RAL	Any custom RAL	GU10	Warm Dim 1800-3000K	50 deg	Phase dimming driver (integral or remote)	Honeycomb
Any custom RAL	Any custom RAL	GU10	Warm Dim 1800-3000K	50 deg	DALI	Etched glass
Any custom RAL	Any custom RAL	GU10	Warm Dim 1800-3000K	50 deg	DALI	Honeycomb
Black 10	Black 10	10w (850lms)	2700K	23 deg	Bluetooth (by request)	Etched glass
Black 10	Black 10	10w (850lms)	2700K	23 deg	Bluetooth (by request)	Honeycomb
Black 10	Black 10	10w (850lms)	2700K	23 deg	Phase dimming driver (integral or remote)	Etched glass
Black 10	Black 10	10w (850lms)	2700K	23 deg	Phase dimming driver (integral or remote)	Honeycomb
Black 10	Black 10	10w (850lms)	2700K	23 deg	DALI	Etched glass
Black 10	Black 10	10w (850lms)	2700K	23 deg	DALI	Honeycomb
Black 10	Black 10	10w (850lms)	2700K	33 deg	Bluetooth (by request)	Etched glass
Black 10	Black 10	10w (850lms)	2700K	33 deg	Bluetooth (by request)	Honeycomb

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
	Black 10	10w (850lms)	2700K	33 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	10w (850lms)	2700K	33 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	10w (850lms)	2700K	33 deg	DALI	Etched glass
	Black 10	10w (850lms)	2700K	33 deg	DALI	Honeycomb
	Black 10	10w (850lms)	2700K	50 deg	Bluetooth (by request)	Etched glass
	Black 10	10w (850lms)	2700K	50 deg	Bluetooth (by request)	Honeycomb
	Black 10	10w (850lms)	2700K	50 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	10w (850lms)	2700K	50 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	10w (850lms)	2700K	50 deg	DALI	Etched glass
	Black 10	10w (850lms)	2700K	50 deg	DALI	Honeycomb
	Black 10	10w (850lms)	3000K	23 deg	Bluetooth (by request)	Etched glass
	Black 10	10w (850lms)	3000K	23 deg	Bluetooth (by request)	Honeycomb
	Black 10	10w (850lms)	3000K	23 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	10w (850lms)	3000K	23 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	10w (850lms)	3000K	23 deg	DALI	Etched glass
	Black 10	10w (850lms)	3000K	23 deg	DALI	Honeycomb

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
	Black 10	10w (850lms)	3000K	33 deg	Bluetooth (by request)	Etched glass
	Black 10	10w (850lms)	3000K	33 deg	Bluetooth (by request)	Honeycomb
	Black 10	10w (850lms)	3000K	33 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	10w (850lms)	3000K	33 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	10w (850lms)	3000K	33 deg	DALI	Etched glass
	Black 10	10w (850lms)	3000K	33 deg	DALI	Honeycomb
	Black 10	10w (850lms)	3000K	50 deg	Bluetooth (by request)	Etched glass
	Black 10	10w (850lms)	3000K	50 deg	Bluetooth (by request)	Honeycomb
	Black 10	10w (850lms)	3000K	50 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	10w (850lms)	3000K	50 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	10w (850lms)	3000K	50 deg	DALI	Etched glass
	Black 10	10w (850lms)	3000K	50 deg	DALI	Honeycomb
	Black 10	10w (850lms)	4000K	23 deg	Bluetooth (by request)	Etched glass
	Black 10	10w (850lms)	4000K	23 deg	Bluetooth (by request)	Honeycomb
	Black 10	10w (850lms)	4000K	23 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	10w (850lms)	4000K	23 deg	Phase dimming driver (integral or remote)	Honeycomb

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
	Black 10	10w (850lms)	4000K	23 deg	DALI	Etched glass
	Black 10	10w (850lms)	4000K	23 deg	DALI	Honeycomb
	Black 10	10w (850lms)	4000K	33 deg	Bluetooth (by request)	Etched glass
	Black 10	10w (850lms)	4000K	33 deg	Bluetooth (by request)	Honeycomb
	Black 10	10w (850lms)	4000K	33 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	10w (850lms)	4000K	33 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	10w (850lms)	4000K	33 deg	DALI	Etched glass
	Black 10	10w (850lms)	4000K	33 deg	DALI	Honeycomb
	Black 10	10w (850lms)	4000K	50 deg	Bluetooth (by request)	Etched glass
	Black 10	10w (850lms)	4000K	50 deg	Bluetooth (by request)	Honeycomb
	Black 10	10w (850lms)	4000K	50 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	10w (850lms)	4000K	50 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	10w (850lms)	4000K	50 deg	DALI	Etched glass
	Black 10	10w (850lms)	4000K	50 deg	DALI	Honeycomb
	Black 10	10w (850lms)	CRI 90+	23 deg	Bluetooth (by request)	Etched glass
	Black 10	10w (850lms)	CRI 90+	23 deg	Bluetooth (by request)	Honeycomb



Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
	Black 10	10w (850lms)	CRI 90+	23 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	10w (850lms)	CRI 90+	23 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	10w (850lms)	CRI 90+	23 deg	DALI	Etched glass
	Black 10	10w (850lms)	CRI 90+	23 deg	DALI	Honeycomb
	Black 10	10w (850lms)	CRI 90+	33 deg	Bluetooth (by request)	Etched glass
	Black 10	10w (850lms)	CRI 90+	33 deg	Bluetooth (by request)	Honeycomb
	Black 10	10w (850lms)	CRI 90+	33 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	10w (850lms)	CRI 90+	33 deg	Phase dimming driver (integral or remote)	Honeycomb
	Black 10	10w (850lms)	CRI 90+	33 deg	DALI	Etched glass
	Black 10	10w (850lms)	CRI 90+	33 deg	DALI	Honeycomb
	Black 10	10w (850lms)	CRI 90+	50 deg	Bluetooth (by request)	Etched glass
	Black 10	10w (850lms)	CRI 90+	50 deg	Bluetooth (by request)	Honeycomb
	Black 10	10w (850lms)	CRI 90+	50 deg	Phase dimming driver (integral or remote)	Etched glass
	Black 10	10w (850lms)	CRI 90+	50 deg	Phase dimming driver (integral or remote)	Honeycomb

## PRODUCT DESCRIPTION

Round LED surface spotlight dimmable. Adjustable 90 deg tilt, 320 deg rotation.  
WARM DIM OPTIONAL.  
Supplied with honey-comb accessory

For more information, please refer to [DANNY AIR SURFACE Datasheet](#)

