

## GL1021-30W

---

### i-GRID Double

---

#### PRODUCT DESCRIPTION

Highly efficient, functional fixtures for all lighting applications. Adjustable tilting 350° rotation & upto 40° tilt.. 3050lms nominal., these spots guarantee a powerful warm light with the perfect balance between light quality and energy efficiency.

FULL DATA & PHOTOMETRY

<https://rayconn.co.uk/ceiling-recessed-spotlights/igrd-gl10/gl1021-30W.html>

---



<b>Colour (RAL finish)</b>	custom RAL to order, RAL9016
<b>Light source</b>	18w LED (1100 exit lms) 30v 450mA UGR16
<b>Colour temp.</b>	2700K, 3000K, 4000K CRI 90+
<b>Beam angle</b>	24 deg, 60 deg
<b>Controls</b>	DALI, Casambi allows dimming control of each fixture, 0-10V, Phase (remote)
<b>Optional accessories</b>	Remote driver

#### VARIATIONS

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
custom RAL to order		18w LED (1100 exit lms) 30v 450mA UGR16	2700K	24 deg	DALI	Remote driver
custom RAL to order		18w LED (1100 exit lms) 30v 450mA UGR16	2700K	24 deg	Casambi allows dimming control of each fixture	Remote driver
custom RAL to order		18w LED (1100 exit lms) 30v 450mA UGR16	2700K	24 deg	0-10V	Remote driver
custom RAL to order		18w LED (1100 exit lms) 30v 450mA UGR16	2700K	24 deg	Phase (remote)	Remote driver
custom RAL to order		18w LED (1100 exit lms) 30v 450mA UGR16	2700K	60 deg	DALI	Remote driver
custom RAL to order		18w LED (1100 exit lms) 30v 450mA UGR16	2700K	60 deg	Casambi allows dimming control of each fixture	Remote driver
custom RAL to order		18w LED (1100 exit lms) 30v 450mA UGR16	2700K	60 deg	0-10V	Remote driver
custom RAL to order		18w LED (1100 exit lms) 30v 450mA UGR16	2700K	60 deg	Phase (remote)	Remote driver
custom RAL to order		18w LED (1100 exit lms) 30v 450mA UGR16	3000K	24 deg	DALI	Remote driver
custom RAL to order		18w LED (1100 exit lms) 30v 450mA UGR16	3000K	24 deg	Casambi allows dimming control of each fixture	Remote driver
custom RAL to order		18w LED (1100 exit lms) 30v 450mA UGR16	3000K	24 deg	0-10V	Remote driver

Description	Colour (RAL finish)	Light source	Colour temp.	Beam angle	Controls	Optional accessories
custom RAL to order		18w LED (1100 exit lms) 30v 450mA UGR16	3000K	24 deg	Phase (remote)	Remote driver
custom RAL to order		18w LED (1100 exit lms) 30v 450mA UGR16	3000K	60 deg	DALI	Remote driver
custom RAL to order		18w LED (1100 exit lms) 30v 450mA UGR16	3000K	60 deg	Casambi allows dimming control of each fixture	Remote driver
custom RAL to order		18w LED (1100 exit lms) 30v 450mA UGR16	3000K	60 deg	0-10V	Remote driver

## PRODUCT DESCRIPTION

Highly efficient, functional fixtures for all lighting applications. Adjustable tilting 350° rotation & upto 40° tilt.. 3050lms nominal., these spots guarantee a powerful warm light with the perfect balance between light quality and energy efficiency.

FULL DATA & PHOTOMETRY

<https://rayconn.co.uk/ceiling-recessed-spotlights/igrid-gl10/gl1021-30W.html>

