

DT.Volans Premium COB Bass-1

VOLANS PREMIUM WARM-DIMMING

PRODUCT DESCRIPTION

Linear flexible LED strip, 10mm wide with invisible Dow Corning resin coated IP20, 224 LEDs/M
Versatile (SMT) LED of high quality CRI90 and high performance. Close pitch allows for 62.5mm cutting centres. Ideal for long runs. Fully dimmable provides comforting warm glow. Many profiles suitable for all general lighting applications. Including wet areas

For more information, please refer to [Volans Premium Warm Dim Datasheet](#)



Construction	PVC / plastic mix; copper conductors 4oz
Colour (RAL finish)	Clear
Light source	(COB) 18w/m LED (980 lms/m) 24v DC
Colour temp.	1800-3000K
Macadam	3
Controls	Mains dim, DALI, Casambi (blue-tooth control of each fixture), 0-10V
Dimensions (mm)	4 x 10
Optional Accessories	See data-sheet for driver selection & profiles

Special Notes Supplied with 1m attached 'power-lead'. Cutting and soldering service available. Supplied with 3m tape as standard. Use with our range of profiles.

VARIATIONS

Description	Colour (RAL finish)	Light source	Colour temp.	Controls	Optional Accessories
Clear		(COB) 18w/m LED (980 lms/m) 24v DC	1800-3000K	Mains dim	Any Optional Accessories
Clear		(COB) 18w/m LED (980 lms/m) 24v DC	1800-3000K	DALI	Any Optional Accessories
Clear		(COB) 18w/m LED (980 lms/m) 24v DC	1800-3000K	Casambi (blue-tooth control of each fixture)	Any Optional Accessories
Clear		(COB) 18w/m LED (980 lms/m) 24v DC	1800-3000K	0-10V	Any Optional Accessories
Any Colour (RAL finish)		Any Light source	1800-3000K	Mains dim	Any Optional Accessories
Any Colour (RAL finish)		Any Light source	1800-3000K	DALI	Any Optional Accessories
Any Colour (RAL finish)		Any Light source	1800-3000K	Casambi (blue-tooth control of each fixture)	Any Optional Accessories
Any Colour (RAL finish)		Any Light source	1800-3000K	0-10V	Any Optional Accessories

PRODUCT DESCRIPTION

Linear flexible LED strip, 10mm wide with invisible Dow Corning resin coated IP20, 224 LEDs/M Versatile (SMT) LED of high quality CRI90 and high performance. Close pitch allows for 62.5mm cutting centres. Ideal for long runs. Fully dimmable provides comforting warm glow. Many profiles suitable for all general lighting applications. Including wet areas

For more information, please refer to [Volans Premium Warm Dim Datasheet](#)

